Kardol Quality Products 285 S. West Street Lebanon, Ohio 45036 513-933-8206 Fax: 513-932-6900

MATERIAL SAFETY DATA SHEET # 501868, 501869, 503860 & 505060 Trade Name: Packaged Fiberglass Cloth

Section 1: Material Identification Weight Occupational **Exposure Limits** Vapor PI@ Temp **Chemical Name** CAS # Percent OSHA PEL ACGIH TLV Other MM Hg 65997-17-3 99% 10* **Fibrous Glass Dust** Chromium (III) <1% 0.5** Compounds

• ACGIH TLV (TWA) 1987

• Chromium III – Compounds such as Cr, ACGIH

Section 2: Physical & Chemical Properties

Boiling Point:	N/A
Vapor Density:	N/A
Vapor Pressure:	N/A
Specific Gravity:	2.5 (water = 1)
Appearance & Odor:	Woven fiberglass fabric w/ no odor
Solubility in Water:	In-Soluble

Section 3: Fire & Explosion Hazard Data

Flash Point:	None	
Flammability Limits:	None	
Extinguisher Media:	Foam, carbon dioxide, dry chemical, water fog	
Special Fire Fighting:	Thermal decomposition of fabric coating may cause irritating smoke and fumes. Firefighters	
	should wear appropriate protective equipment including approved respirators.	
Unusual Fire Hazard:	None Known	
Sensitivity to Static Discharge: Material can build a static charge.		
Hazard Combustion Products: Thermal decomposition of fabric coating may cause irritating smoke and fumes.		

Section 4: Reactivity Hazard Data

Stability:	Stable, Polymerization will not occur.
Conditions to Avoid:	Heat, open flames, static electricity, electrical equipment, pilot lights, sparks and all other
	sources of ignition.
Avoid:	Strong acids, alkalies, and oxidizers.
Hazardous Decomposition: Thermal decomposition or combustion can produce fumes containing organic acids,	
carbon dioxide, carbon monoxide and smoke.	

Section 5: Health Hazard Data

Primary Routes of entry: Inhalation, skin, and eyes.

Medical Conditions Aggravated by Exposure: Respiratory or skin conditions that are aggravated by mechanical irritants may be at an increased risk for worsening from exposure to this product.

Potential Health Effects:

Acute(short term): Fiber glass continuous filament is a mechanical irritant. Breathing dust and fibers may cause short term irritation of the mouth, nose, and throat. Skin contact with dust and fibers may cause itching and short term irritation. Eye contact with dust and fibers may cause short term mechanical irritation. Ingestion may cause short term mechanical irritation of the stomach and intestines.

Chronic(long term): There is no known chronic health effects connected with long term use or contact with this product. In a laboratory test of a different product with comparable composition and durability, animals breathing very high concentrations of respirable fibers on a long term basis developed fibrosis, lung cancer, and mesothelioma.

EMERGENCY FIRST AID PROCEDURE:

Eye Contact:	Flush promptly with large amounts of water for 15 minutes, seek medical attention immediately.
Skin Contact:	Wash thoroughly with soap and water. Remove contaminated clothing. If redness or irritation persists, seek medical attention.
Inhalation:	Remove victim to a well ventilated area. Use oxygen or artificial respiration as required. Seek medical attention if breathing difficulty persists.
INGESTION:	Ingestion of this material is unlikely. If it does occur, watch the victim for several days to make sure intestinal blockage does not occur.

Section 6: Control and Protective Measures

Respiratory Protection: A properly fitted NIOSH/MSHA approved disposable dust respirator should be used when high dust levels are encountered or the level of glass fibers in the air exceeds the occupational exposure limits.

Eye Protection: Safety glasses, goggles or face shield.

Skin Protection: Wear loose fitting long sleeved shirt that covers to the base of the neck, long pants and gloves. Skin Irritation is known to occur primarily at pressure points such as around the neck and wrist, and between fingers.

Work/Hygienic Practices: Eye wash and safety showers in the work place are recommended. Always wash hands after using this product and before eating or smoking. Keep work area clean of dust and fibers. Use a vacuum to clean up product. Avoid unnecessary exposure by using adequate local exhaust ventilation. Always wash work clothes separately from other clothing.

Section 7: Precautions for Safe Handling & Use

WASTE DISPOSAL: Dispose of in accordance with local, state and federal regulations. Do not incinerate closed or empty containers. This material is not expected to cause harm to animals, plants or fish.

LAND SPILL: Scoop up material and put into suitable container for disposal as non-hazardous waste.

WATER SPILL: This material will sink and disperse along bottoms of waterways and ponds. It cannot be easily removed after it is waterborne; however, the material is non-hazardous in water.

AIR RELEASE: This material will settle out of the air. If concentrated on land, it can be scooped up for disposal as a non-hazardous waste.

Other Precautions: Do not take internally. Wash hands after use and before eating or smoking. Empty containers may contain hazardous residue and explosive vapors. Keep away from heat, sparks and flame. Do not cut, puncture or weld on or near emptied containers. Follow all hazardous precautions given in this data sheet until the container is thoroughly cleaned or destroyed. Employees should be trained in safety measures consistent with using this product.

No Special storage or handling procedures are required for this material.

DOT Shipping Name: Not Regulated NA: Not Applicable HAZARD INDEX Health: 1 Flammability: 0 Reactivity: 0

24 HOUR EMERGENCY NUMBER 1-800-424-9300

KEEP OUT OF REACH OF CHILDREN!!!!!